

QUICK REFERENCE

INTERNATIONAL SHIPPING INSTRUCTIONS FOR CATEGORY B, BIOLOGICAL SUBSTANCES



**BIOLOGICAL
SUBSTANCE
CATEGORY B**

According to [IATA Packing Instruction 650](#) required for UN3373, Biological Substance, Category B:

The package must consist of the following 3 components

1. Leak-proof Primary receptacle (eg: Salmonella isolates - slant tube with parafilm around the cap; Serum - bullet tube or screw cap vial with parafilm around the cap)
 2. Leak-proof Secondary packaging; and
 3. A rigid outer packaging of adequate strength for its capacity, mass, and intended use with one side with minimum dimension of 100mm x 100mm.
- Primary receptacles should be packed in secondary packaging in such a way as to prevent break, puncture or leakage of contents into the secondary packaging. Please use cushioning material to prevent such breakage under normal transport conditions.
 - The secondary packaging should be secured in the rigid outer packaging with sufficient cushioning material to prevent receptacle from moving around during transport.

**Please ensure that any leakage of contents will not compromise the integrity of the cushioning material or of the outer packaging.

***An itemized list of contents must be enclosed between the secondary packaging and the outer packaging. This is also where you should enclose a completed GPLN submission form (available on the website -- quick link in quick reference column). We recommend placing these documents in a separate plastic sealable bag.

Labeling:

- Sender and recipient name and address must be on the outer packaging.
- Responsible person name and telephone number must be on the outer packaging.
- Clearly mark "Biological Substance, Category B" on the outside of the outer packaging. Text must be at least 6-mm high adjacent to the UN 3373 diamond-shaped marking. Please see [IATA Packing Instruction 650](#) for further details.

Notable Documents for Shipping (see Quick Links):

Outside the package (easily accessible for the authorities):

- Copy of the Veterinary Permit
- A signed original of the letter confirming that the samples were treated according to the conditions of the permit.

Inside of package (between secondary and outer packaging):

- GPLN Submission Form
- Itemized List of Contents

**PROPER SHIPPING
NAME:**
BIOLOGICAL SUBSTANCE,
CATEGORY B

IATA IDENTIFICATION #:
UN3373

**FOR
INTERNATIONAL
SAMPLES:**

GPLN ONLY ACCEPTS

- SERUM
- FORMALIN FIXED TISSUE
- FTA CARDS
- SALMONELLA CULTURES

Category B Qualifying Samples:

Salmonella Cultures
(Please refer to IATA regulations for more examples)

QUICK LINKS:



[FEDEX
INSTRUCTIONS](#)



[SUBMISSION
FORM](#)



[INTERNATIONAL
VETERINARY
PERMIT](#)



[LETTER TO
ACCOMPANY
SHIPMENT](#)

Please call GPLN with any questions 770-766-6810

QUICK REFERENCE

PROPER SHIPPING NAME:

Not Applicable

IATA IDENTIFICATION #:

Not Applicable

FOR INTERNATIONAL SAMPLES:

GPLN ONLY ACCEPTS

- SERUM
- FORMALIN FIXED TISSUE
- FTA CARDS
- SALMONELLA CULTURES

Exempt Animal Specimen Qualifying Samples:

Serum, Formalin Fixed Tissue, FTA Cards

QUICK LINKS:



[FEDEX INSTRUCTIONS](#)



[SUBMISSION FORM](#)



[INTERNATIONAL VETERINARY PERMIT](#)



[LETTER TO ACCOMPANY SHIPMENT](#)

INTERNATIONAL SHIPPING INSTRUCTIONS FOR EXEMPT ANIMAL SPECIMENS

EXEMPT ANIMAL SPECIMEN

The package must consist of the following 3 components

1. Leak-proof Primary receptacle (eg: Serum - bullet tube or screw cap vial)
2. Leak-proof Secondary packaging; and
3. A rigid outer packaging of adequate strength for its capacity, mass, and intended use with one side with minimum dimension of 100mm x 100mm.

- Primary receptacles should be packed in secondary packaging in such a way as to prevent break, puncture or leakage of contents into the secondary packaging. Please use cushioning material to prevent such breakage under normal transport conditions.
- The secondary packaging should be secured in the rigid outer packaging with sufficient cushioning material to prevent receptacle from moving around during transport.

Sufficient absorbent material **must** be packed between primary receptacle(s) and secondary packaging to absorb the entire volume present in the primary receptacles in case of leakage.

**A completed GPLN submission form (available on the website -- link in quick reference column) must be enclosed between the secondary packaging and the outer packaging. We recommend placing this document in a separate plastic sealable bag.

Labeling:

- EXEMPT ANIMAL SPECIMEN **must** appear on the outer package
- Shipper and recipient information

Notable Documents for Shipping (see Quick Links):

Outside the package (easily accessible for the authorities):

- Copy of the Veterinary Permit
- A signed original of the letter confirming that the samples were treated according to the conditions of the permit.

Inside of package (between secondary and outer packaging):

- GPLN Submission Form

Please call GPLN with any questions 770-766-6810