



# 2025 Georgia Broiler Vaccination Survey




# 2025 Participation and Survey

- 18 broiler complexes responded.
- All participants place broilers on GA farms.
- The survey was done in February of 2025 and should represent winter programs.
- The percentages on the pie charts represent the number of complexes using the vaccine or vaccination strategy divided by the total complexes represented.

# 2025 BROILER Marek's Disease Vaccination




# 2025 BROILER Infectious Bursal Disease Vaccination




*11% of the complexes use a field intermediate IBD vaccine either on all farms or on selected farms*


# 2025 BROILER Reovirus Vaccination



# 2025 BROILER Infectious Bronchitis Vaccination




# 2025 BROILER Newcastle Disease Vaccination




# 2025 BROILER Laryngotracheitis Vaccination

(Winter program)



# 2025 BROILER Coccidiosis Vaccination

(Winter and spring programs)



# TRENDS of vaccine use in GA broiler vaccination programs since 2016

USE OF:	2016	2019	2021	2023	2025
Marek's Recombinants	60%	95%	83%	100%	100%
IBD Recombinants	45%	63%	83%	94%	78%
NDV Recombinants	20%	21%	28%	39%	44%
GA-08 IBV	40%	47%	72%	72%	78%
ARK IBV	70%	47%	33%	6%	0%